

Mozambique DAC High-Speed Cable QSFP28



Overview

Our QSFP28 Cables are the first to integrate Amphenol Spectra-Strip's EXF SKEWCLEAR wire, offering a flat frequency response beyond 20 GHz. Our QSFP28 connectors add an extended EMI cage and upgraded PCB for superior 100-Gigabit Ethernet (100GBASE-CR4) performance. FS 100G DAC/AOC cable, passive/active DAC from 0. Trusted by 260K+ Enterprise. QSFP28 direct attach cable with a 100 Gbps max data rate. 4') In-Stock Today at Cables on Demand. This high speed data transport capability is ideal as server virtualization becomes more prevalent. 3bj (40Gb/s), Infiniband QDR (4x10Gb/s per channel), and FDR (4x14Gb/s per channel). The cable assembly's 38 position printed circuit card has been designed. Siemon QSFP28 100G passive Direct Attach Copper Cable assemblies are designed to exceed industry standard performance offering a cost-effective, low latency, low-power option for high-speed data center interconnects.



Article Content

QSFP28 Direct Attach Cables (100G DAC)

Amphenol QSFP28 Cables (100G Ethernet QSFP28 DAC Cables) up to 5m (16.4'') In-Stock Today at Cables on Demand. Our leadership in QSFP interconnects

QSFP28 Passive Direct Attach Copper (DAC) Cable Assemblies

High bandwidth interconnects are required for next generation data centers. Panduit offers QSFP28 Direct Attach Copper Cable Assemblies. These passive cables provide a cost-effective solution for

QSFP28 Direct Attach Cables Datasheet

100 Gigabit Passive Small Form-Factor Cables Allied Telesis QSFP28 small form-factor direct attach cables are suitable for in-rack connections between QSFP28 ports, on all QSFP28 compatible

QSFP28 Direct Attach Cables (100G DAC)

Our QSFP28 Cables are the first to integrate Amphenol Spectra-Strip's EXF SKEWCLEAR wire, offering a flat frequency response beyond 20 GHz. Our

Direct Attach Cable (DAC) Assemblies

Direct Attach Cable (DAC) Assemblies High-speed I/O passive cable assemblies that can deliver data rates as high as 400 Gbps with a variety of lengths or

QSFP28 (100G) DAC

The Enconnex Direct Attach Copper (DAC) cable offers customers a high performing, low cost, less power consumption, and low latency connectivity option. This QSFP supports data rates of up to

100G QSFP28 DAC Cable, 100G High Speed Cable 1

About this item 100G High Speed: DAC high speed cable is fully compatible, plug and play, 100G high speed optical cable, dedicated to stacking and cascading

High-Speed Interconnect Technology:

This article provides an in-depth overview of SFP28, SFP56, QSFP28, QSFP56, QSFP-DD, OSFP, as well as DAC, ACC, and AEC.

High-Speed QSFP28 DAC Cable for Reliable Data Transmission

Future of High-Speed Connectivity As network speeds continue to increase, QSFP28 DAC cables remain a vital component in the evolution of data center infrastructure. Their combination

QSFP28 100G DAC Cable 3m

QSFP28 100G 3m DAC cable, programmable under any manufacturer. Compatible with Cisco, Dell, Huawei, Juniper, Mellanox, QNAP and others. Reliable and fast

Get reliable 100G QSFP28 cables from US stock with ...

These are the fastest cables available for QSFP28 format, reaching up to 28G per channel (112G aggregate). Both passive copper DAC and fiber active AOC cables are available. Such cables are

QSFP28 Passive Direct Attach Copper (DAC) Cable Assemblies

By incorporating QSFP28 Passive DAC Cable Assemblies into the physical infrastructure, businesses can achieve 100 Gigabit performance port-to-port without additional signal processing or conversion,

QSFP28 100G Direct Attach Copper Cables

Siemon QSFP28 100G passive Direct Attach Copper Cable assemblies are designed to exceed industry standard performance offering a cost-effective, low latency, low-power option for high-speed data

3M™ 100G QSFP28 Direct Attach Copper Cable

Passive copper DAC cable assemblies feature foldable, flexible twinax cable that can be folded back on itself for environments where space is limited. The assemblies

100G QSFP28 DAC | Direct Attach Cables (DACs)

Our 100G QSFP28 DAC cable is a network cable that is popular among network builders because of its high speed, low power consumption, and ability to create

High-Speed 100G QSFP28 DAC Cable

The 100G QSFP28 to QSFP28 DAC Cable is a reliable, low-cost solution for short-distance, high-speed connections between network equipment.

100G QSFP28/SFP-DD/SFP112 | Twinax Cables

FS 100G DAC/AOC cable, passive/active DAC from 0.5m to 10m and FS QSFP28 AOC from 1m to 100m cable, cost-effective alternative for 100G Ethernet short

QSFP28 100G DAC Cable 2m

DAC 100G QSFP28 2m cable The 100G QSFP28 2m DAC cable is an efficient and cost-effective solution for short-distance data transmission. It is ideal for use in modern data centers and server

DAC-QSFP28-100G-2M-C ATGBICS | Cable

Order today, ships today. DAC-QSFP28-100G-2M-C - Position QSFP28 to QSFP28 Plug to Plug 6.56" (2.00m) Black Unshielded from ATGBICS. Pricing and

QSFP28 DAC Cable

HIGH SPEED QSFP28 DAC Cable Proven 28 Gbps data rate with potential up to 40 Gbps per lane Meets or exceeds past requirements for 100 Gigabit Ethernet and InfiniBand 100 Gigabit (EDR)

100Gbps QSFP28 DAC Passive High Speed Cable

Clamp & vibrate per EIA-364-28E, TC-VII, test condition letter – D, 15 minutes in X, Y & Z axis. Twist cable 180° ($\pm 90^\circ$ from nominal position) for 100 cycles at 30 cycles per minute with a 0.5kg load

100G QSFP28 Passive Direct Attach Copper InfiniBand EDR

Description The 100G QSFP28 to QSFP28 Passive Copper Cable assemblies are high performance, cost effective I/O solutions for LAN, HPC and SAN. The high speed cable assemblies meet and

QSFP28 DAC Cable

Supports current 10 Gbps Ethernet, 14 Gbps (FDR) InfiniBand and 16 Gbps Fibre Channel applications.

100G QSFP28 DAC High-speed Cable

100G QSFP28 DAC High-speed Cable The QSFP28(Four-channel Hot Swap) passive high-speed cable module provides four data transmission channels with a maximum transmission rate of 28 Gbit/s and

QSFP Cables Explained 2025: Types, DAC vs AOC,

Learn about QSFP cables: QSFP+, QSFP28, QSFP56, QSFP-DD. Compare DAC vs AOC, speeds, lengths, and use cases in data centers. Includes

CURDP34_CZZ05_EF

The cable assembly's 38 position printed circuit card has been designed to accommodate not only the industry (SFF) defined, but also the higher-bandwidth signal integrity requirements associated with

100G QSFP28 DAC Passive Direct Attach Copper Cable

TARLUZ 100G QSFP28 passive copper cable is a high-speed, cost-effective, 100Gb/s Ethernet connectivity solution designed to meet the growing needs for

What Are the Types of 100G QSFP28 Cables?

From providing flawless, high-bandwidth media to real-time connectivity with customers around the world, today's data centers require ultra

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.invest-bud.com.pl>

Email: sales@ibud-photonics.com

Phone: +33 1 45 62 89 07

Address: 10 Avenue des Champs-Élysées, 75008 Paris, France

This document is for informational purposes only. Specifications subject to change without notice.

